

Adult and Pediatric Otolaryngology 12720 Hillcrest Rd, Suite 900 Dallas, TX 75230 Phone 972-566-8300 Fax 972-566-8004

# **INSPIRE Post-Op Instructions**

## What to expect:

- Mild to moderate discomfort at the three incision sites.
- The lower chest incision is often the most sore.
- Mild sore throat for the first couple days.

#### What not to expect:

- Intense pain at any of the three incision sites.
- Difficulty breathing or swallowing.

## Wound Care:

- Remove the clear dressing after 24 hours.
- •You may shower after removing the dressing.

## Diet:

• Resume normal diet immediately after procedure.

# Activity:

- Avoid strenuous activity, heavy lifting, or aerobic exercise for 1 week after surgery.
- Limit right arm motion and avoid repetitive movements with the right arm for 4 weeks.
  You may return to work in 2-3 days with "light duty".

#### Medications:

- You will have an antibiotic, an anti-nausea medication, and a pain medication prescribed to your pharmacy on file.
- Mild/Moderate pain and swelling at incision sites are expected, and should begin to resolve 7-10 days postop.
- You may resume your regular medications after surgery unless otherwise specified.

# Other Instructions:

- Please call our office at (972) 566-8300 if you develop severe pain, swelling or redness at any of your incision sites, or fever > 101°F.
- You may return to using CPAP, oral appliance or oxygen therapy during the post-op period unless the straps or devices rest on the surgical site.

#### Follow up:

- Post-op check at 7-14 days.
- The device will be activated in the office at the one month post-op visit.
- You will likely repeat a sleep study approximately 3 months from your activation date to be done by your sleep doctor.